


Panasonic

Ex 2G
Big Panel Light

Low UGR



Ex 2G Big Panel

Low UGR Type



Long Lifetime
50,000H




CRI
80



High Efficacy
106lm/W



Low Glare
UGR19



Power Factor
0.9

Certification



RoHS

CISPR15





I Series Lineup



Specification

Rated Voltage	220-240V
Frequency	50/60Hz
Lifetime	50,000 hours
CRI	80
Ambient Temperature	5°C-35°C
Power Factor	0.9
Materials	Body: SPCC Frame: Aluminium Panel: PS
IP Rating	IP20
UGR	19

Dimension



Size : 595×595×35mm
Weight : 2kg



Size : 1195×295×35mm
Weight : 2kg

I Data

Shape	2x2	1x4
Wattage	36W	36W
Non Dimming	4000K ●	NFV60040WE1A 3800lm, 106lm/W
	6500K ●	NFV60060WE1A 3800lm, 106lm/W
Photometric Distribution		
cd/klm (l=-100%)	— C0, C180 — C90, C270	

Panasonic Lighting - Product Quality Testing



Learn more about Panasonic's successful installations



Please contact

<https://panasonic.net/electricworks/lighting/>



Panasonic[®]

All Rights Reserved © 2021 COPYRIGHT Panasonic Corporation Electric Works Company